Chemistry and Physics of Lipids, 59 (1991) 273–275
Elsevier Scientific Publishers Ltd.

Subject Index

Volume 59 (1991)

acetylhydrolase, paf aceter receptors, paf antagonists, protein kinasec, monocyes, low density lipoproteins, 207
acyl anthracene, fluorescence, solvatochromism, 17
β-aglycone, glycyrrhetinic acid, MDR, glucoacid activation, HBTU, coupling, 255
alkylation, cyclic glycerothiophosphates, steroidphospholipids, phosphocholine homologues, hexaethylphosphorus triamide, thione-thiol isomerization, 49
1-*O*-akyl-2-*O*-methyl-*rac*-glycero-3-phosphocoline, ether lipid synthesis, 2-*O*-methyl-1,3-*O*,*O*-benzylidene glycerol, 1-*O*-benzyl-2-*O*-methyl-*rac*-glycerol, selective protection of diol system, 1-*O*-alkyl-2-*O*-methyl-*rac*-glycerol, reductive cleavage of acetals, 263
1-*O*-alkyl-2-*O*-methyl-*rac*-glycerol, ether lipid synthesis, 2-*O*-methyl-1,3-*O*,*O*-benzylidene glycerol, 1-*O*-benzyl-2-*O*-methyl-*rac*-glycerol, selective protection of diol system, 1-*O*-akyl-2-*O*-methyl-*rac*-glycero-3-phosphocoline, reductive cleavage of acetals, 263
amide isosteres, 1,3-diacylaminopropan-2-ols, 1,3-diacylamino-3-(*O*-acyl)-propanes, micromolecular vectors, vector molecules, secondary alcohol acylation, 267
anthroyloxystearic acid, fluorescent probes, nuclear magnetic resonance, differential scanning calorimetry, 9
apoprotein, lung surfactant, reconstitution, dog lung, 29
aqueous dispersion, prodrug, glycerolipid, GABA, sonication, lamella-like structure, disk-like structure, 75

1-*O*-benzyl-2-*O*-methyl-*rac*-glycerol, ether lipid synthesis, 2-*O*-methyl-1,3-*O*,*O*-benzylidene glycerol, selective protection of diol system, 1-*O*-alkyl-2-*O*-methyl-*rac*-glycerol, 1-*O*-akyl-2-*O*-methyl-*rac*-glycero-3-phosphocoline, reductive cleavage of acetals, 263
bile acid methyl esters, microwave oven, 97

calcium permeability, sarcoplasmic reticulum, surfactants, 1
conformation, gangliosides, ganglioside lactones, ^{1}H-NMR, 107
conformation, phospholipids, hydration, FTIR spectra, indicator groups, polar head, 57
coupling, glycyrrhetinic acid, β-aglycone, MDR, glucoacid activation, HBTU, 255
cyclic glycerothiophosphates, steroidphospholipids, phosphocholine homologues, alkylation, hexaethylphosphorus triamide, thione-thiol isomerization, 49

DHA, high resolution NMR spectra, ^{1}H, ^{13}C, fish oils, *n*-3 acids, EPA, stearidonic acid, 83
diacetylenic lipids, phosphatidylcholine, polymerizable lipids, mixed bilayers, interdigitated bilayers, 215
1,3-diacylamino-3-(*O*-acyl)-propanes, amide isosteres, 1,3-diacylaminopropan-2-ols, micromolecular vectors, vector molecules, secondary alcohol acylation, 267
1,3-diacylaminopropan-2-ols, amide isosteres, 1,3-diacylamino-3-(*O*-acyl)-propanes, micromolecular vectors, vector molecules, secondary alcohol acylation, 267
differential scanning calorimetry, anthroyloxystearic acid, fluorescent probes, nuclear magnetic resonance, 9
differential scanning calorimetry, phospholipids, sterols, phase transition, marine invertebrate, liposomes, 245
dipalmitoylphosphatidylglycerol, melittin, infrared spectroscopy, Raman spectroscopy, lipid/protein interactions, 233
disk-like structure, prodrug, glycerolipid, GABA, aqueous dispersion, sonication, lamella-like structure, 75
dog lung, lung surfactant, apoprotein, reconstitution, 29
DPH, tributyltin chloride, tributyltin accetate, liposomes, TMA-DPH, polarization, 189
DSC, monolayer, electron microscopy, lung surfactant, phospholipids, 151

egg phosphatidylcholine, phosphonic acid diesters, lipid model membrane, X-ray and neutron diffraction, 137
electrolytes, phospholipid vesicles, freeze-thaw injury, non-monotonic trends, 183
electron microscopy, monolayer, DSC, lung surfactant, phospholipids, 151
endotoxin, lipid IV_A, lipopolysaccharide, lipid aggregation, 167
enzyme assay, pyrene, phospholipase C, fluorescence, phospholipid, 69
EPA, high resolution NMR spectra, ^{1}H, ^{13}C, fish oils, *n*-3 acids, DHA, stearidonic acid, 83
erythritol, optical properties, vesicles, liposomes, free volume, permeability, 199
ether lipid synthesis, 2-*O*-methyl-1,3-*O*,*O*-benzylidene glycerol, 1-*O*-benzyl-2-*O*-methyl-*rac*-glycerol, selective protection of diol system, 1-*O*-alkyl-2-*O*-methyl-*rac*-glycerol, 1-*O*-akyl-2-*O*-methyl-*rac*-glycero-3-phosphocoline, reductive cleavage of acetals, 263

fish oils, high resolution NMR spectra, ^{1}H, ^{13}C, *n*-3 acids, EPA, DHA, stearidonic acid, 83
fluorescence, acyl anthracene, solvatochromism, 17
fluorescence, phospholipase C, pyrene, enzyme assay, phospholipid, 69
fluorescent probes, anthroyloxystearic acid, nuclear magnetic resonance, differential scanning calorimetry, 9
fluorinated fatty acids, inhibition, β-oxidation, *Spodoptera littoralis*, 127

freeze-thaw injury, phospholipid vesicles, electrolytes, non-monotonic trends, 183
free volume, optical properties, vesicles, liposomes, erythritol, permeability, 199
FTIR spectra, phospholipids, hydration, indicator groups, polar head, conformation, 57

GABA, prodrug, glycerolipid, aqueous dispersion, sonication, lamella-like structure, disk-like structure, 75
gangliosides, ganglioside lactones, ^{1}H-NMR, conformation, 107
ganglioside lactones, gangliosides, ^{1}H-NMR, conformation, 107
glucoacid activation, glycyrrhetinic acid, β-aglycone, MDR, HBTU, coupling, 255
glycerolipid, prodrug, GABA, aqueous dispersion, sonication, lamella-like structure, disk-like structure, 75
glycolipids, trehalose mycolate, mycolic acids, 225
glycyrrhetinic acid, β-aglycone, MDR, glucoacid activation, HBTU, coupling, 255

^{1}H-NMR, gangliosides, ganglioside lactones, conformation, 107
^{1}H, ^{13}C, high resolution NMR spectra, fish oils, *n*-3 acids, EPA, DHA, stearidonic acid, 83
HBTU, glycyrrhetinic acid, β-aglycone, MDR, glucoacid activation, coupling, 255
hexaethylphosphorus triamide, cyclic glycerothiophosphates, steroidphospholipids, phosphocholine homologues, alkylation, thione-thiol isomerization, 49
high resolution NMR spectra, ^{1}H, ^{13}C, fish oils, *n*-3 acids, EPA, DHA, stearidonic acid, 83
hydration, phospholipids, FTIR spectra, indicator groups, polar head, conformation, 57

indicator groups, phospholipids, hydration, FTIR spectra, polar head, conformation, 57
infrared spectroscopy, melittin, dipalmitoylphosphatidylglycerol, Raman spectroscopy, lipid/protein interactions, 233
inhibition, fluorinated fatty acids, β-oxidation, *Spodoptera littoralis*, 127
interdigitated bilayers, phosphatidylcholine, diacetylenic lipids, polymerizable lipids, mixed bilayers, 215

lamella-like structure, prodrug, glycerolipid, GABA, aqueous dispersion, sonication, disk-like structure, 75
lipid/protein interactions, melittin, dipalmitoylphosphatidylglycerol, infrared spectroscopy, Raman spectroscopy, 233
lipid aggregation, lipid IV_A, endotoxin, lipopolysaccharide, 167
lipid IV_A, endotoxin, lipopolysaccharide, lipid aggregation, 167
lipid model membrane, phosphonic acid diesters, egg phosphatidylcholine, X-ray and neutron diffraction, 137
lipid monolayer, surface potential, surface pressure, phosphatidylcholine, membrane fluidity, surface dipole moment, 39
lipopolysaccharide, lipid IV_A, endotoxin, lipid aggregation, 167
liposomes, optical properties, vesicles, erythritol, free volume, permeability, 199
liposomes, phospholipids, sterols, phase transition, differential scanning calorimetry, marine invertebrate, 245
liposomes, tributyltin chloride, tributyltin accetate, DPH, TMA-DPH, polarization, 189
low density lipoproteins, paf-acether receptors, paf antagonists, acetylhydrolase, protein kinase C, monocytes, 207
lung surfactant, apoprotein, reconstitution, dog lung, 29
lung surfactant, monolayer, electron microscopy, DSC, phospholipids, 151

marine invertebrate, phospholipids, sterols, phase transition, differential scanning calorimetry, liposomes, 245
MDR, glycyrrhetinic acid, β-aglycone, glucoacid activation, HBTU, coupling, 255
melittin, dipalmitoylphosphatidylglycerol, infrared spectroscopy, Raman spectroscopy, lipid/protein interactions, 233
membrane fluidity, lipid monolayer, surface potential, surface pressure, phosphatidylcholine, surface dipole moment, 39
membrane lipids, phenoxy herbicides, phase properties, phospholipid vesicles, partition coefficients, 91
2-*O*-methyl-1,3-*O*,*O*-benzylidene glycerol, ether lipid synthesis, 1-*O*-benzyl-2-*O*-methyl-*rac*-glycerol, selective protection of diol system, 1-*O*-alkyl-2-*O*-methyl-*rac*-glycerol, 1-*O*-akyl-2-*O*-methyl-*rac*-glycero-3-phosphocoline, reductive cleavage of acetals, 263
micromolecular vectors, amide isosteres, 1,3-diacylaminopropan-2-ols, 1,3-diacylamino-3-(*O*-acyl)-propanes, vector molecules, secondary alcohol acylation, 267
microwave oven, bile acid methyl esters, 97
mixed bilayers, phosphatidylcholine, diacetylenic lipids, polymerizable lipids, interdigitated bilayers, 215
monocytes, paf-acether receptors, paf antagonists, acetylhydrolase, protein kinase C, low density lipoproteins, 207
monolayer, electron microscopy, DSC, lung surfactant, phospholipids, 151
mycolic acids, trehalose mycolate, glycolipids, 225

n-3 acids, high resolution NMR spectra, ^{1}H, ^{13}C, fish oils, EPA, DHA, stearidonic acid, 83
non-monotonic trends, phospholipid vesicles, freeze-thaw injury, electrolytes, 183
nuclear magnetic resonance, anthroyloxystearic acid, fluorescent probes, differential scanning calorimetry, 9

optical properties, vesicles, liposomes, erythritol, free volume, permeability, 199
β-oxidation, fluorinated fatty acids, inhibition, *Spodoptera littoralis*, 127

paf-acether receptors, paf antagonists, acetylhydrolase, protein kinase C, monocytes, low density lipoproteins, 207
paf antagonists, paf-acether receptors, acetylhydrolase, protein kinase C, monocytes, low density lipoproteins, 207
partition coefficients, phenoxy herbicides, phase properties, phospholipid vesicles, membrane lipids, 91
permeability, optical properties, vesicles, liposomes, erythritol, free volume, 199
phase properties, phenoxy herbicides, phospholipid vesicles, partition coefficients, membrane lipids, 91

phase transition, phospholipids, sterols, differential scanning calorimetry, marine invertebrate, liposomes, 245
phenoxy herbicides, phase properties, phospholipid vesicles, partition coefficients, membrane lipids, 91
phosphatidylcholine, diacetylenic lipids, polymerizable lipids, mixed bilayers, interdigitated bilayers, 215
phosphatidylcholine, lipid monolayer, surface potential, surface pressure, membrane fluidity, surface dipole moment, 39
phosphocholine homologues, cyclic glycerothiophosphates, steroidphospholipids, alkylation, hexaethylphosphorus triamide, thione-thiol isomerization, 49
phospholipase C, fluorescence, pyrene, enzyme assay, phospholipid, 69
phospholipid, phospholipase C, fluorescence, pyrene, enzyme assay, 69
phospholipids, hydration, FTIR spectra, indicator groups, polar head, conformation, 57
phospholipids, monolayer, electron microscopy, DSC, lung surfactant, 151
phospholipids, sterols, phase transition, differential scanning calorimetry, marine invertebrate, liposomes, 245
phospholipid vesicles, freeze-thaw injury, electrolytes, non-monotonic trends, 183
phospholipid vesicles, phenoxy herbicides, phase properties, partition coefficients, membrane lipids, 91
phosphonic acid diesters, egg phosphatidylcholine, lipid model membrane, X-ray and neutron diffraction, 137
polarization, tributyltin chloride, tributyltin accetate, liposomes, DPH, TMA-DPH, 189
polar head, phospholipids, hydration, FTIR spectra, indicator groups, conformation, 57
polymerizable lipids, phosphatidylcholine, diacetylenic lipids, mixed bilayers, interdigitated bilayers, 215
prodrug, glycerolipid, GABA, aqueous dispersion, sonication, lamella-like structure, disk-like structure, 75
protein kinase C, paf-acether receptors, paf antagonists, acetylhydrolase, monocytes, low density lipoproteins, 207
pyrene, enzyme assay, phospholipase C, fluorescence, phospholipid, 69

Raman spectroscopy, melittin, dipalmitoylphosphatidylglycerol, infrared spectroscopy, lipid/protein interactions, 233
reconstitution, lung surfactant, apoprotein, dog lung, 29
reductive cleavage of acetals, ether lipid synthesis, 2-*O*-methyl-1,3-*O*,*O*-benzylidene glycerol, 1-*O*-benzyl-2-*O*-methyl-*rac*-glycerol, selective protection of diol system, 1-*O*-alkyl-2-*O*-methyl-*rac*-glycerol, 1-*O*-akyl-2-*O*-methyl-*rac*-glycero-3-phosphocoline, 263

sarcoplasmic reticulum, surfactants, calcium permeability, 1
secondary alcohol acylation, amide isosteres, 1,3-diacylaminopropan-2-ols, 1,3-diacylamino-3-(*O*-acyl)-propanes, micromolecular vectors, vector molecules, 267
selective protection of diol system, ether lipid synthesis, 2-*O*-methyl-1,3-*O*,*O*-benzylidene glycerol, 1-*O*-benzyl-2-*O*-methyl-*rac*-glycerol, 1-*O*-alkyl-2-*O*-methyl-*rac*-glycerol, 1-*O*-akyl-2-*O*-methyl-*rac*-glycero-3-phosphocoline, reductive cleavage of acetals, 263
solvatochromism, acyl anthracene, fluorescence, 17
sonication, prodrug, glycerolipid, GABA, aqueous dispersion, lamella-like structure, disk-like structure, 75
Spodoptera littoralis, fluorinated fatty acids, inhibition, β-oxidation, 127
stearidonic acid, high resolution NMR spectra, ^{1}H, ^{13}C, fish oils, *n*-3 acids, EPA, DHA, 83
steroidphospholipids, cyclic glycerothiophosphates, phosphocholine homologues, alkylation, hexaethylphosphorus triamide, thione-thiol isomerization, 49
sterols, phospholipids, phase transition, differential scanning calorimetry, marine invertebrate, liposomes, 245
surface dipole moment, lipid monolayer, surface potential, surface pressure, phosphatidylcholine, membrane fluidity, 39
surface potential, lipid monolayer, surface pressure, phosphatidylcholine, membrane fluidity, surface dipole moment, 39
surface pressure, lipid monolayer, surface potential, phosphatidylcholine, membrane fluidity, surface dipole moment, 39
surfactants, sarcoplasmic reticulum, calcium permeability, 1

thione-thiol isomerization, cyclic glycerothiophosphates, steroidphospholipids, phosphocholine homologues, alkylation, hexaethylphosphorus triamide, 49
TMA-DPH, tributyltin chloride, tributyltin accetate, liposomes, DPH, polarization, 189
trehalose mycolate, glycolipids, mycolic acids, 225
tributyltin accetate, tributyltin chloride, liposomes, DPH, TMA-DPH, polarization, 189
tributyltin chloride, tributyltin accetate, liposomes, DPH, TMA-DPH, polarization, 189

vector molecules, amide isosteres, 1,3-diacylaminopropan-2-ols, 1,3-diacylamino-3-(*O*-acyl)-propanes, micromolecular vectors, secondary alcohol acylation, 267
vesicles, optical properties, liposomes, erythritol, free volume, permeability, 199

X-ray and neutron diffraction, phosphonic acid diesters, egg phosphatidylcholine, lipid model membrane, 137

Chemistry and Physics of Lipids, 59 (1991) 277
Elsevier Scientific Publishers Ireland Ltd.

Author Index

Volume 59 (1991)

Acquotti, D. 107
Adam, S. 255
Ambrosini, A. 189
Ayanoglu, E. 245

Benoit, J.P. 75
Bertoli, E. 189
Bidaine, A. 267
Brearley, C.A. 183

Camps, F. 127
Chiche, H.B. 245
Couvreur, P. 75

Dai, M.C. 245
Dayal, B. 97
Dayal, V. 97
de Almeida, E.T. 225
Delgado, A. 127
Denizot, B. 151
Deverre, J.R. 75
Disalvo, E.A. 199
Djerassi, C. 245
Dumont, P. 267
Düzgünes, N. 245

Fronza, G. 107

Glass, R.L. 91
Gómez-Fernandez, J.C. 1
Gordeliy, V.I. 137
Grdadolnik, J. 57
Gronowitz, S. 49
Guerrero, A. 127
Gulik, A. 75, 151
Gunstone, F.D. 83

Hadži, D. 57
Hampton, R.Y. 167
Hodges, N.A. 183
Hofer, M. 167
Hospital, S. 127

Ioneda, T. 225

Kaufmann, F. 255
Kidrič, J. 57
Kinnunen, P.K.J. 69
Klose, G. 137
König, B. 137
Korth, R. 207

Lafleur, M. 233
Lambert, D.M. 267
Letourneux, Y. 75
Liau, D.F. 29
Lopez, A. 17

Mergen, F. 267
Middeke, M. 207
Mitsner, B.I. 263
Mozaffary, H. 39

Olliff, C.J. 183

Perochon, E. 17
Pézolet, M. 233
Pinchuk, A.N. 263
Poupaert, J.H. 267
Prieto, M.J. 9
Proust, J.E. 151
Puisieux, F. 151

Raetz, C.R.H. 167
Ragg, E. 107
Rhodes, D.G. 215
Ruiz, M. 127
Ryan, S.F. 29

Salen, G. 97
Samson, I. 233
Schulze, G. 137
Shvets, V.I. 263
Singh, A. 215
Soler, F. 1
Sonnino, S. 107
Stamatov, S.D. 49

Tanfani, F. 189
Tchoreloff, P. 151
Teruel, J.A. 1
Thuren, T. 69
Tocanne, J.F. 17

Villalaín, J. 9

Yu, H. 167

Zolese, G. 189